

# 22" LED FHD Monitor

MW3222-V



## Key Features


- True color display
- Resolution is up to at 1920×1080
- Wide view of field:170°(H)/ 160°(V)
- Specific menu design, which is simple to operate
- Support 7\*24 working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket
- Support multiply language

## Specifications


|                       |  |
|-----------------------|--|
| Model                 | MW3222-V   |
| <b>Display</b>        |  |
| Display Type:         | LED Backlight  |
| Screen Size           | 21.5"  |
| Pixel Pitch(mm)       | 0.2482× 0.2482   |
| Max Resolution        | 1920×1080  |
| Brightness            | 250 cd/m <sup>2</sup>  |
| Contrast              | 1000:1   |
| Response Time         | 5ms  |
| color                 | 16.7M  |
| Viewing Angle         | Horizontal 170°, Vertical 160°   |
| <b>Interface</b>      |  |
| VGA                   | 1  |
| HDMI                  | 1  |
| Audio In              | 1  |
| <b>Audio</b>          |  |
| Audio Input           | 1, 3.5 mm mini-jack  |
| Speaker               | 2x2W   |
| <b>OSD</b>            |  |
| Multi- Language       | 11 (English, French, German, Italian, Simplified Chinese, Traditional Chinese, Korean, Japanese, Espanola, Portuguese, Russian ) |
| <b>Mounting</b>       |  |
| VESA                  | 100mm x 100mm  |
| <b>General</b>        |  |
| Power supply          | DC 12V, 2A   |
| Consumption           | <20 W(on)<br><0.5 W(Standby)   |
| Operation Temperature | 0°C ~ 40 °C  |
| Operating Humidity    | 20%~85% (No Condensation)  |
| Storage Temperature   | -20°C ~ 60°C   |
| Storage Humidity      | 0%~90% (No Condensation)   |
| Dimension (W×H×D)     | 509.5mm × 304.5 mm × 35.1mm(No Pedestal)   |
| Weight:               | Net Weight:2.51Kg Gross Weight:3.8Kg   |
| <b>Accessory</b>      |  |
| Standard              | HDMI cable, Adapter& power cable, Pedestal,Quick Guide   |
| Optional              | Hanging bracket,   |

Appearance

Dimensions



## Interfaces



**Zhejiang Uniview Technologies Co.,Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2017 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.